

Design And Fabrication Of Automated Pneumatic Hammering Machine Using Nylon Fiber

**Dr. B. Vimala Kumari Ph. D¹, S. Karthik², N. M. Sai Swaroop³, P. Suresh⁴, P. Lokesh⁵,
P. Krishna Sai⁶**

Associate Professor¹, Mechanical Engineering, WELFFARE Engineering College¹

B Tech Student, WELFFARE Engineering College²⁻⁶

Abstract: This project focuses on the design and fabrication of an automated pneumatic hammering machine using nylon fiber to enhance performance, efficiency, and durability. The system operates on the principle of compressed air, where an air compressor supplies high-pressure air that is controlled by a solenoid valve and directed into a pneumatic cylinder. The reciprocating motion of the cylinder piston is converted into a continuous hammering action, suitable for various industrial operations such as metal forming, riveting, forging, and assembly work. A control unit, such as a timer or PLC, is incorporated to automate the hammering process by precisely controlling the stroke frequency and operation time. This ensures consistent output, reduces human error, and improves overall productivity. The integration of nylon fiber plays a crucial role in this system by acting as a shock absorber, minimizing vibrations, reducing noise levels, and preventing mechanical wear and tear of components. The machine is designed with a metal frame structure to withstand repeated impacts and ensure stability during operation. The use of PU pipes enables efficient air transmission with minimal leakage. This automated system significantly reduces manual labour, increases operational speed, and enhances safety compared to traditional hammering methods. Experimental results show that the machine delivers uniform hammering force with improved efficiency and reduced energy loss. The project demonstrates a reliable, cost-effective, and low maintenance solution for industrial automation. Furthermore, it has the potential for future enhancements such as sensor-based feedback systems, IoT integration, and advanced control mechanisms to further optimize performance and energy utilization.

Keywords: Pneumatic Hammering Machine, Industrial Automation, Pneumatic Cylinder, Solenoid Valve Control, Nylon Fiber Damping, Vibration and Noise Reduction, Energy Efficiency, PLC-Based Control System

I. INTRODUCTION

In modern industries, automation has become essential for improving productivity, precision, and safety. Traditional hammering operations are usually performed manually, which requires high human effort, consumes time, and often results in inconsistent output. To overcome these challenges, automated systems are increasingly adopted in manufacturing processes. One such efficient solution is the automated pneumatic hammering machine.

This machine operates on the principle of compressed air, where an air compressor supplies pressurized air to drive a pneumatic cylinder. The reciprocating motion of the piston is converted into a controlled hammering action suitable for applications like metal forming, riveting, forging, and assembly. Pneumatic systems are preferred due to their simplicity, reliability, low maintenance, and cost-effectiveness.



Figure.1: PNEUMATIC HAMMER

In this project, an automated pneumatic hammering machine is designed and fabricated using components such as a frame, pneumatic cylinder, solenoid valve, PU pipes, and a control unit. The automation ensures consistent hammering with adjustable speed and stroke frequency. A key feature of this system is the use of nylon fiber as a damping material, which reduces vibration, minimizes noise, and enhances machine durability. This project aims to reduce manual labor, improve efficiency, and provide a reliable solution for industrial hammering operations, contributing to modern automated manufacturing systems.

II. METHODOLOGY

Components

AIR COMPRESSOR

An air compressor is a vital component that supplies compressed air required for the operation of the pneumatic system. It works by converting electrical energy into kinetic energy, which is then used to compress and store air at high pressure. This pressurized air is delivered to the pneumatic cylinder through control valves to produce the hammering action. The air compressor ensures continuous and efficient operation of the machine. It is widely used due to its reliability, ease of maintenance, and ability to provide a consistent air supply.



Figure.2: AIR COMPRESSOR

Solenoid Valve:

A solenoid valve is an electromechanical device used to control the flow of compressed air in the pneumatic system. It operates by using an electrical signal to open or close the valve, allowing precise control of air movement to the pneumatic cylinder.



Figure.3: PU PIPES

This helps in regulating the hammering action efficiently and automatically. PU (polyurethane) pipes are connected to the solenoid valve to carry compressed air smoothly with minimal leakage. They are flexible, durable, and resistant to pressure, ensuring reliable performance of the system.

Nylon Fiber

It is a strong and lightweight synthetic material widely used in engineering applications due to its excellent durability, flexibility, and resistance to wear and abrasion. It offers good mechanical strength while reducing the overall weight of the system, making it suitable for use in automated machines. Nylon fiber also has low friction properties, which help in smooth operation and reduced energy loss. Additionally, it is resistant to chemicals and moisture, ensuring long-lasting performance. In this project, nylon fiber is used to enhance efficiency, reliability, and lifespan of the components.



Figure.4: NYLON FIBER

Control Unit (Timer/PLC)

The control unit, which may consist of a timer or a Programmable Logic Controller (PLC), plays a crucial role in automating the operation of the system.




Figure.5: control unit

It is responsible for controlling the timing and sequence of the pneumatic hammering process by sending signals to the solenoid valve. The timer or PLC ensures precise and consistent operation, reducing human effort and improving efficiency. It also allows easy adjustment of operation cycles based on requirements. Overall, the control unit enhances accuracy, reliability, and automation of the machine.

Frame Fabrication

It involves cutting metal sheets or channels according to the required design dimensions and assembling them by welding or bolting to create a strong and stable structure.



Figure.6: Frame Fabrication

Proper alignment of the pneumatic cylinder and hammer is ensured to avoid operational issues and maintain efficiency. Finally, all edges and corners are smoothed to enhance safety and improve the overall appearance of the frame.

Arduino Nano microcontroller board,

It is a compact and versatile development board widely used in embedded systems and automation projects. It is based on the ATmega328P microcontroller and provides multiple digital and analog input/output pins for interfacing with sensors, actuators, and other components. The board features a USB interface for easy




Figure.7: Arduino Nano microcontroller

programming and power supply. Due to its small size and low cost, it is ideal for compact and portable applications. In this project, the Arduino Nano is used as the main control unit to process inputs and control the operation of the system efficiently.

III. LITERATURE REVIEW

[1] Rajesh Kumar S and Murugan P (2020)

Presented the design and development of a pneumatic hammering machine aimed at improving industrial productivity. Their study highlighted the advantages of pneumatic systems such as reduced manual effort, consistent hammering force, and improved operational efficiency in industrial applications.

[2] Suresh A et al. (2019)

Focused on the fabrication and performance analysis of an automated pneumatic forging machine. The authors demonstrated that automation enhances forging accuracy, reduces cycle time, and ensures better quality output compared to conventional manual methods.

[3] Pandey R and Singh A K (2021)

Investigated vibration reduction in pneumatic systems using nylon fiber damping elements. Their research showed that nylon fiber significantly absorbs shock and vibration, thereby increasing machine life and improving operational stability.

[4] Karthikeyan M et al. (2020)

Designed and analyzed an automated pneumatic riveting machine controlled by PLC. The study emphasized precise control, improved repeatability, and enhanced safety achieved through programmable logic controllers in pneumatic systems.

[5] Mohan V and Rajan T (2018)

Evaluated the performance of pneumatic hammering systems in sheet metal fabrication. Their findings indicated improved efficiency, uniform force application, and reduced operator fatigue compared to traditional hammering methods.

[6] Senthil Kumar P and Dinesh G (2021)

Explored automation of hammering operations using pneumatic systems integrated with PLC controllers. The research demonstrated enhanced control, reduced human intervention, and increased productivity in repetitive industrial processes.

[7] Patel H K and Shah D R (2019)

Studied the mechanical properties and shock absorption characteristics of nylon fiber reinforced composites. Results confirmed that nylon fiber improves impact resistance and durability, making it suitable for vibration damping in pneumatic machinery.

[8] Arumugam S and Govindarajan K (2022)

Developed a pneumatic metal forming machine for small-scale industries. The study highlighted cost-effectiveness, ease of operation, and suitability of pneumatic systems for small and medium enterprises.

IV. RESULT

The automated pneumatic hammering machine was successfully designed and fabricated, demonstrating efficient operation using compressed air to produce continuous hammering action.




Figure.7

The system achieved uniform and consistent hammering force through the pneumatic cylinder, while the control unit effectively regulated stroke frequency and operation time.



Figure.8: PNEUMATIC HAMMERING MACHINE

The incorporation of nylon fiber significantly reduced vibration and noise, enhancing operational stability and component life. PU pipes ensured smooth air transmission with minimal leakage, contributing to overall system efficiency. The machine reduced manual labor and increased productivity, making it suitable for industrial applications. Experimental results indicated improved energy efficiency with reduced losses, and the overall system proved to be reliable, cost-effective, and capable of delivering consistent performance with low maintenance requirements.

V. CONCLUSION

The automated pneumatic hammering machine using nylon fiber has been successfully designed, fabricated, and tested, demonstrating efficient and reliable performance in industrial hammering operations. The system achieves consistent and uniform hammering with adjustable stroke frequency, ensuring precision and flexibility for different applications. The integration of nylon fiber significantly reduces vibration and noise, enhancing operator comfort while also increasing the

lifespan of machine components. Automation eliminates the need for manual effort, thereby improving safety, reducing fatigue, and minimizing the risk of human error.

Furthermore, the machine exhibits strong durability and stable operation due to its robust frame and reliable pneumatic components. Its energy-efficient design ensures effective utilization of compressed air, making it cost-effective for continuous use. Overall, the project meets its intended objectives by providing a safe, efficient, and adaptable hammering solution suitable for small to medium-scale industrial applications. It also establishes a solid foundation for future advancements, including smart automation, enhanced safety features, and scalability for larger industrial needs.

REFERENCES

- [1]. Rajesh Kumar, S., and Murugan, P. (2020). "*Design and Development of Pneumatic Hammering Machine for Industrial Applications.*" International Journal of Mechanical Engineering and Technology (IJMET), Volume 11, Issue 4, pp. 45–53. ISSN: 0976-6340.
- [2]. Suresh, A., Venkatesh, R., and Prakash, M. (2019). "*Fabrication and Performance Analysis of Automated Pneumatic Forging Machine.*" International Journal of Engineering Research and Technology (IJERT), Volume 8, Issue 6, pp. 112–118. ISSN: 2278-0181.
- [3]. Pandey, R., and Singh, A. K. (2021). "*Study on Vibration Reduction in Pneumatic Systems Using Nylon Fiber Damping Elements.*" Journal of Mechanical and Civil Engineering (IOSR-JMCE), Volume 18, Issue 2, pp. 34–41. ISSN: 2278-1684.
- [4]. Karthikeyan, M., Balasubramanian, S., and Selvam, R. (2020). "*Design and Analysis of Automated Pneumatic Riveting Machine Using PLC Control.*" International Journal of Advanced Engineering Research and Science (IJAERS), Volume 7, Issue 3, pp. 78–85. ISSN: 2349-6495.
- [5]. Mohan, V., and Rajan, T. (2018). "*Performance Evaluation of Pneumatic Actuated Hammering Systems in Sheet Metal Fabrication.*" International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET), Volume 7, Issue 9, pp. 201–208. ISSN: 2347-6710.
- [6]. Senthilkumar, P., and Dinesh, G. (2021). "*Automation of Hammering Operations Using Pneumatic Systems and PLC Controllers.*" International Journal of Recent Technology and Engineering (IJRTE), Volume 9, Issue 5, pp. 56–63. ISSN: 2277-3878.
- [7]. Patel, H. K., and Shah, D. R. (2019). "*Mechanical Properties and Shock Absorption Characteristics of Nylon Fiber Reinforced Composites.*" Materials Today: Proceedings, Volume 18, Part 7, pp. 4521–4528. Elsevier Publications.
- [8]. Arumugam, S., and Govindarajan, K. (2022). "*Design and Fabrication of Pneumatic Metal Forming Machine for Small Scale Industries.*" International Journal of Mechanical and Production Engineering Research and Development (IJMPERD), Volume 12, Issue 1, pp. 89–97. ISSN: 2249-6890.
- [9]. Vijay, R., and Anand, K. (2020). "*Energy Efficiency Analysis of Pneumatic Systems in Automated Industrial Applications.*" Journal of Engineering Sciences and Technology Review (JESTR), Volume 13, Issue 4, pp. 145–152. ISSN: 1791-2377.
- [10]. Ramesh, T., and Logesh, S. (2021). "*IoT Based Monitoring and Control of Pneumatic Hammering Systems in Manufacturing Environments.*" International Journal of Computer Applications in Technology (IJCAT), Volume 65, Issue 2, pp. 23–30. ISSN: 0952-8091.