IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

Camera Control Using Hand Gesture

Supriya K. Chougule[1], Priya Sudhakar Gandge[2], Samiksha Rajendra Khandagle[3], Nikita Siddheshwar Mahadik[4], Payal Ganesh Pandarkar[5]

Associate Professor, Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, India[1]

Student, Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, India[2]

Student, Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, India[3]

Student, Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, India[4]

Student, Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, India[5]

Abstract: In recent years, hand gesture recognition has become a useful technology for improving humancomputer interaction. It allows users to control digital devices through simple hand movements without directly touching them. This paper presents a Camera Control Using Hand Gesture system that enables users to perform different camera operations using predefined hand gestures. The proposed system uses a camera to capture hand movements and computer vision techniques to recognize the gestures in real time. Based on the recognized gesture, the system performs specific actions, including starting or stopping video recording, capturing photographs, adjusting camera brightness, and drawing patterns in the air using hand movements. The airdrawing feature allows users to create simple shapes or lines by moving their fingers in front of the camera. The system aims to provide a simple, interactive, and touchfree way to control camera functions. It can be developed using Python and computer vision libraries such as OpenCV and MediaPipe for hand tracking and gesture recognition. The performance of the system can be evaluated by measuring gesture recognition accuracy, response time, and reliability under different lighting conditions. This project demonstrates how hand gestures can make camera operations more convenient and interactive, with potential applications in presentations, digital creativity, and hands-free interaction.

I. INTRODUCTION

In today's digital world, technology is continuously improving the way people interact with computers and electronic devices. Traditionally, camera operations are controlled using physical buttons, a keyboard, a mouse, or a touchscreen. However, these methods require direct physical interaction and may not always be convenient. Hand gesture recognition provides an alternative way to interact with digital systems by using simple hand movements instead of physical controls. Camera Control Using Hand Gesture is a project that allows users to control camera functions through predefined hand gestures. The main aim of this project is to make camera operations easier, more interactive, and touch-free. The system uses a camera to capture hand movements and applies computer vision techniques to recognize the gestures and perform the corresponding actions. The proposed system includes four main features: starting and stopping video recording, capturing photographs, adjusting camera brightness, and drawing in the air using finger movements. For example, a user can show a specific hand gesture to capture a photograph or start and stop video recording. Similarly, different gestures can be assigned to increase or decrease brightness. The air-drawing feature allows users to draw simple lines, shapes, and patterns by moving their fingers in front of the camera. The system can be developed using Python with OpenCV and MediaPipe. OpenCV can be used for camera access and image processing, while MediaPipe can help detect and track hand landmarks. By analyzing the positions and movements of the fingers, the system identifies the user's gestures and performs the assigned operations. The main objective of this project is to provide a simple and user-friendly camera control system that reduces the need for physical interaction. It can be useful for hands-free photography, presentations, interactive applications, and digital drawing. The system's performance depends on factors such as lighting conditions, hand detection, and the accuracy of gesture recognition. Overall, this project demonstrates how computer vision and hand gesture recognition can be combined to create a more natural and interactive way of controlling camera functions.

© IARJSET This work is licensed under a Creative Commons Attribution 4.0 International License

IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

II. EXISTING SYSTEM

The existing system for camera control mainly relies on traditional input methods such as physical buttons, a keyboard, a mouse, and a touchscreen. These methods are commonly used to perform camera operations such as capturing photographs, starting or stopping video recording, and adjusting camera settings. Although these methods are simple and widely available, they require users to interact directly with the device or its controls. With the development of computer vision, some systems have introduced hand gesture recognition as an alternative method of controlling digital devices. In these systems, a camera captures the user's hand movements, and image-processing techniques are used to identify specific gestures. Each recognized gesture is linked to a particular command. For example, a predefined hand gesture can be used to capture a photograph or control video playback. Gesture-based systems generally involve three main steps: hand detection, gesture recognition, and command execution. First, the camera captures the user's hand. Next, the system identifies the hand's position, finger arrangement, or movement. Finally, it compares the detected gesture with predefined rules and performs the assigned operation. Some systems use computer vision libraries and handtracking techniques to detect finger positions and recognize gestures in real time. These approaches can reduce the need for physical contact and provide a more interactive experience. However, the available functions depend on the design and implementation of each system.

III. OBJECTIVES

The main objective of the Camera Control Using Hand Gesture project is to develop a simple and user-friendly system that allows users to control camera functions using hand gestures instead of physical buttons or other input devices. The specific objectives of the project are:

1. **To control video recording:** To start and stop video recording using predefined hand gestures.
2. **To capture photographs:** To allow users to take photographs by performing a specific hand gesture in front of the camera.
3. **To adjust camera brightness:** To increase or decrease brightness through predefined gestures, making it easier to control the camera display.
4. **To provide an air-drawing feature:** To allow users to draw lines, shapes, and simple patterns in the air by tracking their finger movements.
5. **To recognize hand gestures in real time:** To detect and track hand movements using computer vision techniques and identify the gestures performed by the user.
6. **To improve user interaction:** To make camera control more convenient, interactive, and accessible for different applications.
7. **To reduce physical interaction:** To provide a touch-free method of controlling camera operations without depending on a keyboard, mouse, or physical buttons for each action.
8. **To evaluate system performance:** To test the system's gesture recognition accuracy, response time, and performance under different lighting conditions.
9. **To control camera zoom:** To allow users to zoom in and zoom out using predefined hand gestures without touching the camera or device.
10. **To develop a user-friendly interface:** To design a simple and interactive interface that allows users to control camera functions easily through hand movements.
11. **To test system accuracy and reliability**: To evaluate the system using different hand gestures, users, backgrounds, and environmental conditions.
12. **To integrate computer vision techniques:** To use image processing and computer vision algorithms for detecting, tracking, and classifying hand gestures.
13. **To improve system flexibility:** To design the system so that additional hand gestures and camera control functions can be added in the future.

IV. LITERATURE REVIEW

1.1. Hand Gesture Recognition Based on Computer Vision

Researchers have studied computer vision techniques for identifying hand gestures from images and video. These systems analyze the shape of the hand, finger positions, and hand movements to recognize different gestures. The recognized gestures are then converted into commands for controlling digital applications. This approach can provide a natural way for users to interact with computers without using additional physical sensors. However, recognition performance may be affected by lighting conditions, background complexity, and hand movements.

1.2. Vision-Based Hand Gesture Recognition for HumanComputer Interaction

In 2021, Debajit Sarma and M. K. Bhuyan published a review of vision-based hand gesture recognition methods.

IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

Their study discussed how camera images can be processed to detect, represent, and recognize hand gestures. The authors also examined different recognition methods, applications, and challenges. The research explains that camera-based gesture recognition can provide a contact-free way to interact with computers, although accurate detection and tracking remain important challenges.

1.3. A Structured Review of Vision-Based Hand Gesture Recognition

In 2022, Fahmid Al Farid and other researchers published a systematic review of vision-based hand gesture recognition techniques. Their study examined 108 research articles published between 2012 and 2022. It discussed image acquisition, hand tracking, feature extraction, and gesture classification. The review reported variations in recognition performance across the studies and highlighted challenges such as complex hand movements and differences in gesture interpretation. This research provides useful guidance for developing a reliable real-time gesture recognition system.

1.4. A Systematic Review of Hand Gesture Recognition Techniques

A systematic review published in PeerJ Computer Science examined different techniques, applications, and challenges in hand gesture recognition. The study discussed how systems capture hand movements, recognize gestures, and translate them into commands. It also highlighted the importance of improving recognition reliability in real-world conditions. These findings are relevant to camera control systems because incorrect gesture recognition may lead to unwanted actions, such as capturing a photograph at the wrong time

V. RESEARCH GAP

From the study of existing research on hand gesture recognition, it is observed that computer vision techniques can be used to recognize hand movements and control digital applications. However, many existing systems focus on recognizing gestures for specific tasks, and there is still scope to develop a single application that combines multiple camera operations in a simple and user-friendly way. Controlling video recording, capturing photographs, adjusting brightness, and drawing in the air are different functions that require reliable gesture detection and accurate command execution.

Another challenge is that hand gesture recognition may be affected by changes in lighting conditions, complex backgrounds, fast finger movements, and incorrect hand detection. These problems can cause the system to recognize a gesture incorrectly or fail to perform the intended action. In addition, continuous finger tracking is required for air drawing, which makes it important to maintain smooth and accurate tracking of hand movements.

Therefore, the proposed Camera Control Using Hand Gesture system aims to integrate video start and stop, photo capture, brightness adjustment, and air drawing into one application. The system will use computer vision techniques to detect hand landmarks and recognize predefined gestures in real time. The main focus is to provide convenient, touch-free camera control while evaluating the system's accuracy, response time, and performance under different lighting conditions. This work aims to address the practical challenges of combining multiple gesture-based camera functions in a single interface.

VI. METHODOLOGY

The proposed Camera Control Using Hand Gesture system is developed to control camera functions through hand movements without requiring physical buttons. The system uses Python, OpenCV, and MediaPipe to capture video, detect hand movements, recognize predefined gestures, and perform the required operations.

The methodology begins with camera initialization, where the webcam captures live video of the user's hand. The captured frames are processed using OpenCV, while MediaPipe is used to detect and track hand landmarks, including the positions of the fingers. Based on the detected finger positions and movements, the system identifies the gesture performed by the user.

After recognizing a gesture, the system matches it with a predefined command. A specific gesture is used to start video recording, while another gesture stops the recording. A separate gesture is assigned to capture a photograph. Hand gestures can also be used to increase or decrease camera brightness. For the air-drawing feature, the system continuously tracks the index finger and records its movement to draw lines or shapes on the screen.

© IARJSET This work is licensed under a Creative Commons Attribution 4.0 International License

IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

TABLE I HARDWARE REQUIREMENTS

Sr. No.	Component	Purpose
1	Laptop/Computer	Runs the hand gesture recognition system.
2	Webcam	Captures hand movements in real time.
3	Processor(CPU)	Processes video frames and executes the program
4	RAM	Supports smooth execution of the application.
5	Storage device	Stores the program files and captured photographs.
6	USB port	Connects an external webcam is required.

TABLE I I SOFTWARE REQUIREMENTS

Sr. No.	Software/Technology	Purpose
1	Python	Main programming language for system development.
2	OpenCV	Captures and processes webcam video.
3	MediaPipe	Detects hand landmarks and finger positions.
4	Numpy	Performs numerical operations on image data.
5	Visual Studio Code	Provides and environment for writing and running code.
6	Operating system windows	Supports the execution of the application.




Fig. 1. Flowchart of the Camera Control system

© IARJSET This work is licensed under a Creative Commons Attribution 4.0 International License

IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

VII. SYSTEM ARCHITECTURE

The system architecture of the Real-Time Hand Gesture-Based Camera Control System explains how hand gestures are captured, processed, recognized, and converted into camera operations.

1. **Camera Input:** The webcam or built-in camera captures the user's hand movements and sends video frames to the system.
2. **Processing:** The captured video frames are processed, and the background environment is checked to help detect the hand properly.
3. **Gesture Recognition:** MediaPipe is used to detect and track hand landmarks. The system identifies the gesture performed by the user in real time.
4. **Command Mapping:** The recognized hand gesture is mapped to a specific command. For example, an open palm can control zoom, a thumbs-up can start recording, and swipe gestures can switch between cameras.
5. **Camera Control:** The system executes the selected operation, such as starting or stopping video recording, switching cameras, or capturing a photograph.
6. **Feedback Loop:** The system continuously receives new frames from the camera and processes them again. This allows the user to perform different gestures and control camera operations continuously.




Fig. 2. System Architecture of the Camera Contro hand gesture system

VIII. CONCLUSION AND FUTURE SCOPE

A. Conclusion

The Camera Control Using Hand Gesture project provides a simple and interactive way to control camera functions using hand movements instead of traditional input methods such as a keyboard, mouse, or physical buttons. By using computer vision techniques, Python, OpenCV, and MediaPipe, the system can detect hand movements, recognize predefined gestures, and perform the corresponding actions. The proposed system includes features such as starting and stopping video recording, capturing photographs, adjusting brightness, and drawing lines or shapes in the air using finger movements. These features aim to make camera operation more convenient and reduce the need for physical interaction with the device. The system's performance depends on factors such as lighting conditions, hand detection, and gesture recognition accuracy. Proper testing and improvements can help make the system more reliable and responsive. In the future, the project can be extended by adding more gestures, improving recognition accuracy, and supporting additional

IARJSET ISSN (O) 2393-8021, ISSN (P) 2394-1588

International Advanced Research Journal in Science, Engineering and Technology

Impact Factor 8.311 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 13, Issue 10, October 2026

DOI: 10.17148/IARJSET.2026.131062

camera functions. Overall, this project demonstrates how hand gesture recognition can make camera control more natural, userfriendly, and interactive. It also provides an opportunity to explore the practical use of computer vision in humancomputer interaction.

B. Future Scope

1. **Advanced Gesture Recognition**: In the future, the system can be improved to recognize more complex hand gestures and provide additional camera control functions.
2. **Mobile Application Integration:** The system can be developed for Android and iOS devices to control mobile cameras using hand gestures.
3. **AI-Based Gesture Detection:** Advanced machine learning and deep learning algorithms can be used to improve gesture recognition accuracy and system reliability.
4. **Voice and Gesture Control:** Voice commands can be combined with hand gestures to provide multiple ways of controlling camera operations.
5. **Smart Home Integration:** The system can be integrated with smart home devices and surveillance cameras for touch-free operation.
6. **Improved Lighting Adaptability:** The system can be enhanced to recognize hand gestures accurately in low-light, bright-light, and changing lighting conditions.
7. **3D Gesture Recognition:** Future versions can use depth cameras and 3D vision technology to recognize hand movements more accurately.

ACKNOWLEDGMENT

The authors thank the Department of Computer Engineering, Pune District Education Association's College of Engineering, Pune, for the guidance and facilities provided during this work.

REFERENCES

[1] M. Linardakis, I. Varlamis, and G. Th. Papadopoulos, "Survey on Hand Gesture Recognition From Visual Input," IEEE Access, vol. 13, pp. 135373–135406, 2025.

[2] K. Gao et al., "Challenges and solutions for vision-based hand gesture interpretation: A review," Computer Vision and Image Understanding, Art. no. 104095, 2024

[3] J. Shin, A. S. M. Miah, M. H. Kabir, M. A. Rahim, and A. Al Shiam, "A Methodological and Structural Review of Hand Gesture Recognition Across Diverse Data Modalities," IEEE Access, vol. 12, pp. 142606–142639, 2024

[4] "A Systematic Review of Hand Gesture Recognition: An Update From 2018 to 2024," IEEE Access, vol. 12, pp. 143599–143626, 2024

[5] Y. Meng, H. Jiang, N. Duan, and H. Wen, "Real-Time Hand Gesture Monitoring Model Based on MediaPipe's Registerable System," Sensors, vol. 24, no. 19, Art. no. 6262, 2024

[6] C. Cui, M. S. Sunar, and G. E. Su, "Deep vision-based real-time hand gesture recognition: A review," PeerJ Computer Science, vol. 11, Art. no. e2921, 2025

[7] H.-H. Li and C.-C. Hsieh, "Dynamic Hand Gesture Recognition Using MediaPipe and Transformer," Engineering Proceedings, vol. 108, no. 1, Art. no. 22, 2025

[8] J. Nunes, T. H. Nascimento, J. P. Felix, and F. Soares, "Real-Time Hand Gesture Recognition for Touchless Video Control Using MediaPipe and Random Forest," in Proc. IEEE 49th Annual Computers, Software, and Applications Conference (COMPSAC), 2025

[9] "A System for Controlling the GUI by Gestures Using a Webcam, Based on MV Algorithms," in Proc. 2025 7th International Youth Conference on Radio Electronics, Electrical and Power Engineering (REEPE), 2025

[10] "Hand Gesture Recognition Using YOLOv5 for People with Disability," in Proc. 2025 IEEE International Conference on Bioinformatics and Biomedicine Engineering (BIBE), 2025.

[11] V. Musale et al., "A Vision-Based Real-Time Hand Gesture Controlled System for Human Computer Interaction," in Proc. IEEE 5th International Conference on ICT in Business Industry and Government (ICTBIG), 2025.

© IARJSET This work is licensed under a Creative Commons Attribution 4.0 International License